



Product Service

CERTIFICATE

No. Z1A 055042 0014 Rev. 00

Holder of Certificate: **Actiforce Int. B.V.**
Het Steenland 20
3751 LA Bunschoten-Spakenburg
THE NETHERLANDS

Certification Mark:



Product: **Office Desks**
Sitting/standing work tables

Tested according to: EK5/AK3 13-01:2018
DIN EN 527-1:2011
DIN EN 527-2:2019
DGUV Grundsatz 315-410:2021
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713266843-1

Valid until: 2027-12-11

Date, 2022-12-12

(Jens Biesenack)

CERTIFICATE

No. Z1A 055042 0014 Rev. 00

Model(s): **Steelforce Pro 670 SLS Highline**
Steelforce Pro 670 SLS Highline Bench

Parameters:

Steelforce Pro 670 SLS Highline	
Shape of office desk	Rectangular worktop on height- adjustable frame
Width of tabletop [mm]	1200, 1400, 1600, 1800, 2000
Depth of tabletop [mm]	800
Thickness of tabletop [mm]	25
Maximum load capacity of desk [kg]	100
Material of tabletop	Chipboard plate
Decoration of tabletop	Light grey, platin grey or natural oak
Longitudinal profile top frame [mm]	1100 - 1700
Cross profile top frame [mm]	Angle plate 600 x 48 x 48 x 2
Material of frame	Metal
Column	Steelforce Pro 270/470/670(60x90)
Actuator	SLS EN 527 – Key Ox /
	SLS EN 527 – Bo Ox
Control unit	Controllforce 2 Pro
Control element	Acti Switch Pro-Basic
	ActiSwitch Basic Slide
	ActiSwitch Pro Memory
	ActiSwitch Eco Memory
Elevation adjustment [mm]	650 – 1310
Profile of the actuator columns [mm]	90/60; 83/53; 76/46
Shape of feet	T-feet with skid
Skid [mm]	736 x 75 x 25

CERTIFICATE

No. Z1A 055042 0014 Rev. 00

Steelforce Pro 670 SLS Highline Bench	
Shape of office desk	Two rectangular worktops on combined frame, each worktop is independently height-adjustable
Width [mm]	1200, 1400, 1600, 1800, 2000
Depth [mm]	800
Thickness of tabletop [mm]	25
Maximum load capacity of desk [kg]	100 (for each worktop)
Material of tabletop	Chipboard plate
Decoration of tabletop	Light grey, platin grey or natural oak
Longitudinal profile top frame [mm]	1100 – 1700
Cross profile top frame [mm]	Angle plate 600 x 48 x 48 x 2
Material of frame	Metal
Column	Steelforce Pro 270/470/670(60x90)
Actuator	SLS EN 527 – Key Ox /
	SLS EN 527 – Bo Ox
Control unit	Controlforce 2 Pro
Control element	Acti Switch Pro-Basic
	ActiSwitch Basic Slide
	ActiSwitch Pro Memory
	ActiSwitch Eco Memory
Elevation adjustment [mm]	650 – 1310
Profile of the actuator columns [mm]	90/60; 83/53; 76/46
Shape of feet	Combined frame with four legs